	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	16	((feature$1 or sequen$5) near3 vectors) same (generative near3 model$1)	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:44	
2	BRS	L2	11	1 same (classif$6 or identif$6 or verif$6)	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:49	
3	BRS	L3	16	(object or face or image or audio or multimedia) same (generative near2 model$1) same vector$1	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:56	
4	BRS	L4	15	generative and (kullback near10 divergence)	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:57	

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
BRS	L5	15	4 and models	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:57	
BRS	L6	14	5 and vector$1	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:58	
BRS	L7	14	6 and (generative near2 model$1)	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:59	
BRS	L8	11	7 and distance	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 15:58	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
9	BRS	L9	15	vectors near10 (generative near2 model$1)	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 16:00	
10	BRS	L10	5	9 same (face or object or video or image$1)	US-PGPUB; USPAT; EPO; DERWENT	2006/11/06 16:00	

Google

Web   Images   Video   News   Maps   **more »**

`sequence vectors generative models`   **Search**   Advanced Search
Preferences

Web   Results **1 - 10** of about **399,000** for **sequence vectors generative models** . (0.10 seconds)

[PDF] Speaker Verification Using **Sequence** Discriminant Support **Vector ...**
File Format: PDF/Adobe Acrobat
generative models, . The generic formulation for mapping a **sequence**. to the score-space
is given by. (16). where. is called the score-**vector**, ...
ieeexplore.ieee.org/iel5/89/30367/01395965.pdf?arnumber=1395965 - Similar pages

Welcome to IEEE Xplore 2.0: Speaker verification using **sequence ...**
Speaker verification using **sequence** discriminant support **vector** machines ... based on
underlying **generative models** such as Gaussian mixture **models** (GMMs). ...
ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=1395965 - Similar pages
[More results from ieeexplore.ieee.org]

[PS] Exploiting **generative models** in discriminative classiers f g
File Format: Adobe PostScript - View as Text
such as support **vector** machines from **generative** probability mod- ... Hidden Markov
models. of biological primary **sequence** information. ...
people.csail.mit.edu/tommi/papers/gendisc.ps - Similar pages

[PDF] A **Generative Model** Based Approach to Motion Segmentation
File Format: PDF/Adobe Acrobat - View as HTML
derived from a **generative model** of image formation (cf. [16]). One makes certain.
assumptions about how the image **sequence** is generated – for example one ...
vision.ucla.edu/papers/generative.pdf - Similar pages

SVM speaker verification
These kernels exploit **generative models** (Gaussian mixture **models**) to achieve the non-
linear mapping. By representing the entire **sequence** as a single **vector**, ...
www.dcs.shef.ac.uk/~vinny/docs/svmsvm.html - 16k - Cached - Similar pages

[PPT] ?
File Format: Microsoft Powerpoint - View as HTML
Map each new protein **sequence** X into a fixed **vector**, Fisher score. ... **Generative** HMM
models. SAM-T98 method; Null **model**: reverse **sequence** model ...
www.cbse.ucsc.edu/staff/haussler_pubs/kernel.ppt - Similar pages

[PDF] Facial Expression Analysis using Nonlinear Decomposable **Generative ...**
File Format: PDF/Adobe Acrobat - View as HTML
The **generative model** supports both **sequence**-based and frame-based recognition of ...
and six expression class **vectors** in the **generative model** in Sec. 4.1. ...
www.cs.rutgers.edu/~elgammal/pub/LeeAMFG05FacialExpressionAnalysis.pdf -
Similar pages

[PDF] Conditional Random Fields: Probabilistic **Models** for Segmenting and ...
File Format: PDF/Adobe Acrobat - View as HTML
HMMs and stochastic grammars are **generative models**, as- ... training or test observation
sequence x and the parameter. **vector** θ. ...
www.cis.upenn.edu/~pereira/papers/crf.pdf - Similar pages

[PDF] Towards Better Understanding of the **Model** Implied by the use of ...
File Format: PDF/Adobe Acrobat - View as HTML

vectors computed from the local **sequence** of static vec- **...** 1 and 4 do define a distribution, and a **generative model**,. but it is not the obvious one. **...**
www.novauris.com/publications/ICSLP04-TuC2101p.21_p1173.pdf - Similar pages

CSAIL Research Abstract
Here we present a **generative model** for the topic structure of natural language conversations, which explicitly **models** both the **sequence** of discourse **...**
publications.csail.mit.edu/abstracts/abstracts05/kording/kording.html - 13k -
Cached - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

---

sequence vectors generative models   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google

sequence vectors generative models | Search | Advanced Search
Preferences

Web   Results **11 - 20** of about **399,000** for <u>sequence</u> <u>vectors</u> <u>generative</u> <u>models</u> . (0.11 seconds)

IDIAP : > Projects > KERNEL
Keywords: learning algorithms, hidden Markov **models**, kernel methods, support **vector**
machines, **sequence** processing, speech processing, speaker verification, ...
www.idiap.ch/~bengio/projects/kernel.html - 28k - <u>Cached</u> - <u>Similar pages</u>

Hidden Markov **Model**
In this mode, each **model** serves to compute the likelihood of a particular **sequence** of
states having generated the **sequence** of feature **vectors**, ...
project.uet.itgo.com/markov_model.htm - 28k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Speaker verification using **sequence** discriminant support **vector** ...
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
of parameters in the **generative models**. Having mapped the. **sequence** to the score-
space, any discriminative classifier may. be used to classify **vectors** and ...
www.cstr.ed.ac.uk/downloads/publications/2005/sap05-svm.pdf - <u>Similar pages</u>

[PS] SVMSVM: SUPPORT **VECTOR** MACHINE SPEAKER VERIFICATION METHODOLOGY ...
File Format: Adobe PostScript - <u>View as Text</u>
same GMMs are used as the underlying **generative model** in sec-. tion 3 to achieve a
mapping from a variable length **sequence** of. feature **vectors** to a single ...
www.cstr.ed.ac.uk/downloads/publications/2003/icassp03-svm.ps.gz - <u>Similar pages</u>
[<u>More results from www.cstr.ed.ac.uk</u>]

[PDF] A **Generative Model** of Dense Optical Flow in Layers
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
approach taken by Wang & Adelson [10] computes motion **vectors** at each pixel ... 1
illustrates our **generative model**. For each image in the video **sequence**, ...
www.psi.toronto.edu/~anitha/Papers/flow_scvma.pdf - <u>Similar pages</u>

Speech and Hearing Research Group (SpandH)
The **sequence** kernels are derived from **generative models**. These kernels use a
generative model to map a variable length **sequence** to a fixed length **vector**. ...
www.dcs.shef.ac.uk/spandh/projects/phd/vinny.html - 6k - <u>Cached</u> - <u>Similar pages</u>

[PDF] A Linear **Generative Model** for Graph Structure
File Format: PDF/Adobe Acrobat
and linear deformable **models** to construct a simple **generative model** for graph- ... Face
sequence. The parameter **vector** γ can be sampled from a prior ...
www.springerlink.com/index/WX3T1R1NURKHQW8A.pdf - <u>Similar pages</u>

[PDF] Intrusion Detection with Support **Vector** Machines and **Generative Models**
File Format: PDF/Adobe Acrobat
We use 'attack-tree' type **generative models** for such intrusions to se-. lect features that
are used by a Support **Vector** Machine Classifier. Our ...
www.springerlink.com/index/N1GUNAYFVEL0H22V.pdf - <u>Similar pages</u>

[PDF] Prototype-Driven Learning for **Sequence Models**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
f(c) , and f(c) is the **vector** of fea-. tures active over c. In our **sequence models**, the. cliques

are over the edges/transitions (y ...
www.cs.berkeley.edu/~aria42/pubs/naacl06-posinduction.pdf - Similar pages

Speaker Verification Using **Sequence** Discriminant Support **Vector** ...
Speaker Verification Using **Sequence** Discriminant Support **Vector** Machines (2005)
(Make ... 116 Exploiting **generative models** in discriminative classifiers ...
citeseer.ist.psu.edu/729285.html - 22k - Cached - Similar pages

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 1011   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

---

sequence vectors generative models   Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

IEEE Xplore RELEASE 2.1

BROWSE   SEARCH   IEEE XPLORE GUIDE

Search Results

Results for "((vector*<in>ab) <and> (generative model*<in>ab))<and> ((classif* or ..." ☑ e-mail
Your search matched **14** of **1430374** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((vector*<in>ab) <and> (generative model*<in>ab))<and> ((classif* or identif* or | Search

☐ Check to search only within this results set

Display Format: ⊙ Citation ◯ Citation & Abstract

⌐ view selected items   **Select All Deselect All**

☐ 1. **Speaker verification using sequence discriminant support vector machin**
Wan, V.; Renals, S.;
Speech and Audio Processing, IEEE Transactions on
Volume 13, Issue 2, March 2005 Page(s):203 - 210
Digital Object Identifier 10.1109/TSA.2004.841042

AbstractPlus | Full Text: PDF(336 KB)   IEEE JNL
Rights and Permissions

☐ 2. **Online Thai handwritten character recognition using hidden Markov mod**
vector machines
Sanguansat, P.; Asdornwised, W.; Jitapunkul, S.;
Communications and Information Technology, 2004. ISCIT 2004. IEEE Interna
on
Volume 1, 26-29 Oct. 2004 Page(s):492 - 497 vol.1
Digital Object Identifier 10.1109/ISCIT.2004.1412894

AbstractPlus | Full Text: PDF(658 KB)   IEEE CNF
Rights and Permissions

☐ 3. **Recognizing handwritten digits using hierarchical products of experts**
Mayraz, G.; Hinton, G.E.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 24, Issue 2, Feb. 2002 Page(s):189 - 197
Digital Object Identifier 10.1109/34.982899

AbstractPlus | References | Full Text: PDF(748 KB)   IEEE JNL
Rights and Permissions

☐ 4. **Hybrid IMM/SVM approach for wavelet-domain probabilistic model based**
classification
Chen, L.; Man, H.;
Vision, Image and Signal Processing, IEE Proceedings-
Volume 152, Issue 6, 9 Dec. 2005 Page(s):724 - 730
Digital Object Identifier 10.1049/ip-vis:20045030

AbstractPlus | Full Text: PDF(420 KB)   IEE JNL

☐ 5. **Onboard detection of jarosite minerals with applications to Mars**
Bornstein, B.; Castano, R.; Gilmore, M.S.; Merrill, M.; Greenwood, J.P.;
Aerospace Conference, 2006 IEEE
4-11 March 2006 Page(s):7 pp.

Digital Object Identifier 10.1109/AERO.2006.1656010

AbstractPlus | Full Text: PDF(464 KB)   IEEE CNF
Rights and Permissions

6. **A Generative-Discriminative Hybrid Method for Multi-View Object Detecti**
   Dong-Qing Zhang; Shih-Fu Chang;
   Computer Vision and Pattern Recognition, 2006 IEEE Computer Society Conf€
   Volume 2, 2006 Page(s):2017 - 2024
   Digital Object Identifier 10.1109/CVPR.2006.27

   AbstractPlus | Full Text: PDF(448 KB)   IEEE CNF
   Rights and Permissions

7. **A generative model of human hair for hair sketching**
   Chen, H.; Zhu, S.C.;
   Computer Vision and Pattern Recognition, 2005. CVPR 2005. IEEE Computer
   Conference on
   Volume 2, 20-25 June 2005 Page(s):74 - 81 vol. 2
   Digital Object Identifier 10.1109/CVPR.2005.31

   AbstractPlus | Full Text: PDF(712 KB)   IEEE CNF
   Rights and Permissions

8. **Generative, discriminative, and ensemble learning on multi-modal percep**
   toward news video story segmentation
   Hsu, W.H.-M.; Shih-Fu Chang;
   Multimedia and Expo, 2004. ICME '04. 2004 IEEE International Conference on
   Volume 2, 27-30 June 2004 Page(s):1091 - 1094 Vol.2

   AbstractPlus | Full Text: PDF(647 KB)   IEEE CNF
   Rights and Permissions

9. **Classification of time-series data using a generative/discriminative hybri**
   Abou-Moustafa, K.T.; Cheriet, M.; Suen, C.Y.;
   Frontiers in Handwriting Recognition, 2004. IWFHR-9 2004. Ninth Internationa
   26-29 Oct. 2004 Page(s):51 - 56
   Digital Object Identifier 10.1109/IWFHR.2004.26

   AbstractPlus | Full Text: PDF(136 KB)   IEEE CNF
   Rights and Permissions

10. **A generative-discriminative hybrid for sequential data classification [ima**
    example]
    Abou-Moustafa, K.T.; Suen, C.Y.; Cheriet, M.;
    Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04).
    International Conference on
    Volume 5, 17-21 May 2004 Page(s):V - 805-8 vol.5
    Digital Object Identifier 10.1109/ICASSP.2004.1327233

    AbstractPlus | Full Text: PDF(265 KB)   IEEE CNF
    Rights and Permissions

11. **Text-independent speaker recognition using probabilistic SVM with GMM**
    Fenglei Hou; Bingxi Wang;
    Natural Language Processing and Knowledge Engineering, 2003. Proceeding:
    International Conference on
    26-29 Oct. 2003 Page(s):305 - 308
    Digital Object Identifier 10.1109/NLPKE.2003.1275919

    AbstractPlus | Full Text: PDF(309 KB)   IEEE CNF
    Rights and Permissions

12. **Probabilistic bilinear models for appearance-based vision**
    Grimes, D.B.; Shon, A.P.; Rao, R.P.N.;
    Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on

13-16 Oct. 2003 Page(s):1478 - 1485 vol.2

AbstractPlus | Full Text: PDF(1486 KB)   IEEE CNF
Rights and Permissions

13. **Learning the decision function for speaker verification**
Bengio, S.; Mariethoz, J.;
Acoustics, Speech, and Signal Processing, 2001. Proceedings. (ICASSP '01).
International Conference on
Volume 1, 7-11 May 2001 Page(s):425 - 428 vol.1
Digital Object Identifier 10.1109/ICASSP.2001.940858

AbstractPlus | Full Text: PDF(336 KB)   IEEE CNF
Rights and Permissions

14. **Using the Fisher kernel method for Web audio classification**
Moreno, P.J.; Rifkin, R.;
Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings, 2
International Conference on
Volume 6, 5-9 June 2000 Page(s):2417 - 2420 vol.4
Digital Object Identifier 10.1109/ICASSP.2000.859329

AbstractPlus | Full Text: PDF(336 KB).   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & :